MERIT® 2F INSECTICIDE

MSDS Number: 102000006536

MSDS Version 1.0 Revision Date: 04/05/2005

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name: MERIT® 2F INSECTICIDE

MSDS Number: 102000006536 EPA Registration No.: 432-1312

Product Use: Broad spectrum systemic insecticide for use in a variety of indoor and outdoor applications.

Bayer Environmental Science A Business Group of Bayer CropScience

Bayer Environmental Science 95 Chestnut Ridge Road Montvale, NJ 07645

For MEDICAL, TRANSPORTATION or other EMER-GENCY call 1-800-334-7577 (24 hours/day) For Product Information call 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON **INGREDIENTS**

Hazardous Component Name	CAS-No.	Average % by Weight	
Imidacloprid	138261-41-3	21.40	

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview

Caution! Hazard to humans and domestic animals. Harmful if swallowed or absorbed through skin. Keep out of reach of children and animals.

Physical State: viscous liquid suspension

Odor: mild

Appearance: off-white

Routes of Exposure: Inhalation, Skin contact, Skin

Absorption **Immediate Effects**

Eye: May cause eye irritation. Eye injury may persist

for several days.

Skin: Harmful if absorbed through skin. No skin irrita-

tion. Non-sensitizing

Ingestion: Harmful if swallowed. Inhalation: Harmful if inhaled.

Chronic or Delayed Long-Term: This product is not listed by NTP, IARC or regulated as a carcinogen by

Medical Conditions Aggravated by Exposure: No specific medical conditions are known which may be aggravated by exposure to this product.

SECTION 4. FIRST AID MEASURES

General: Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Eye: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin: Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious or convulsing person.

Inhalation: Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or Poison Control Centre immediately.

Notes to Physician

Treatment: There is no specific antidote. Treat symptomatically.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point: > 93°C / > 199°F

Lower Flammability Limit: not applicable Upper Flammability Limit: not applicable

Fire and Explosion Hazards: May give off poisonous fumes including hydrogenchloride and oxides of

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Fire Fighting Instructions

Keep out of smoke. Cool containers / tanks with water spray. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water courses. Equipment or materials involved in pesticide fires may become contaminated.

Wear self-contained breathing apparatus and protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up: Dike area to prevent runoff. Recover material, if possible. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up and place in appropriate closed container (see Section 7: Handling and Storage). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Collect and contain contaminated absorbent and dike material for disposal. Do not allow spilt product to enter soil or waterways

Additional Advice: Isolate area and keep unauthorized people away. Avoid breathing vapors and avoid skin contact. Use proper protective equipment to minimize personal exposure (see Section 8). Contaminated soil may have to be removed and disposed. Contact Bayer for further assistance if necessary.

SECTION 7. HANDLING AND STORAGE

Handling Procedures: Read label carefully before use. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Storing Procedures: Store in an area that is clean, dry and cool. Store in an area away from food, feedstuffs, fertilizers and seed. Store in an area designated specifically for pesticides.

Work/Hygienic Procedures: Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product.

Min/Max Storage Temperatures: No minimum / 30 day average not to exceed 100 F.

SECTION 8. EXPOSURE CONTROLS / PERSONAL **PROTECTION**

Engineering Controls: Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Eye/Face Protection: splash goggles

Hand Protection: Chemical resistant gloves made of waterproof material such as polyethylene or polyvinyl chloride

Body Protection: Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection: No personal respiratory

protective equipment normally required. When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or Industry recommendations.

General Protection: Follow all label instructions. Eye wash facility and safety shower should be available. Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions washables, use detergent and hot water.

Exposure Limits

Glycerine 56-81-5

ACGIH	TWA		10 mg/m3
Form o	f Exposure	Mist.	
OSHA Z1	PEL		5 mg/m3
Form o	f Evnocuro	Pospirable fraction	

OSHA Z1 PEL		15 mg/m3
Form of Exposure	Total dust.	
OSHA Z1A TWA		5 mg/m3
Form of Exposure	Respirable fraction.	
OSHA Z1A TWA		10 mg/m3
Form of Exposure	Total dust.	
US CA OEL TWA PEL		5 mg/m3
Form of Exposure	Respirable fraction.	
US CA OEL TWA PEL		10 mg/m3
Form of Exposure	Total dust.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: off-white

Physical State: viscous liquid suspension

Odor: mild pH: 7.5

Specific Gravity: 1.12 at 20°C Melting/Freezing Point: -6.7°C / 19.9°F Water Solubility: dispersible

Viscosity: 350 - 500 mPa.s at 25°C

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions.

Incompatibility: None known. **Hazardous Decomposition Products**

hydrogen chloride (HCI)

hydrogen cyanide (hydrocyanic acid)

carbon dioxide (CO2) Carbon monoxide nitrogen oxides (NOx)

Hazardous Reactions: Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been conducted on this product as formulated. The non-acute information pertains to the active ingredient, imidacloprid.

Acute Oral Toxicity

male rat: LD50: > 4,870 mg/kg female rat: LD50: 4,143 mg/kg

Acute Dermal Toxicity: male/female rabbit: LD50: > 2,000 mg/kg

Acute Inhalation Toxicity
male/female rat: LC50: > 5.33 mg/l

Exposure time: 4 h (actual)

Determined in the form of liquid aerosol. male/female rat: LC50: > 20 mg/l

Exposure time: 1 h (actual)

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Skin Irritation: rabbit: No skin irritation Eve Irritation

rabbit: Mild irritation to the cornea and conjunctiva was observed with all irritation clearing within 7 days post-treatment.

Minimally irritating.

Sensitization: guinea pig: Non-sensitizing

Subchronic Toxicity

In a 3-week dermal toxicity study, rabbits treated with imidacloprid showed no local or systemic effects at levels up to and including 1000 mg/kg, the limit dose. In a 4-week inhalation study, rats exposed to high concentrations of imidacloprid exhibited decreased body weight gains and changes in clinical chemistries and organ weights.

Chronic Toxicity: In chronic dietary studies in rats and dogs exposed to imidacloprid, the target organs were the thyroids and/or liver.

Assessment Carcinogenicity

In oncogenicity studies in rats and mice, imidacloprid was not considered carcinogenic in either species. **ACGIH**

None

NTP

None

IARC

None. **OSHA**

None

Reproductive & Developmental Toxicity

REPRODUCTIVE TOXICITY: In a two-generation reproduction study in rats, imidacloprid was not a primary reproductive toxicant. Offspring exhibited reduced body weights at the high dose and in conjunction with maternal toxicity.

DEVELOPMENTAL TOXICITY: In developmental toxicity studies in rats and rabbits, there was no evidence of an embryotoxic or teratogenic potential for imidacloprid. In both species, developmental effects were observed only at high doses and in conjunction with maternal toxicity.

Neurotoxicity

In acute and subchronic neurotoxicity screening studies in rats, imidacloprid produced slight neurobehavioral effects in each study at the highest dose tested. There were no correlating morphological changes observed in the neural tissues.

In a one-generation developmental neurotoxicity screening study in rats, offspring exposed to imidacloprid showed decreased motor activities. These effects occurred at the highest dose tested and in conjunction with maternal toxicity. There were no correlating morphological changes observed in the neural tissues.

Mutagenicity: The imidacloprid mutagenicity studies, taken collectively, demonstrate that the active ingredient is not genotoxic or mutagenic.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions

Extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Notify state and/or Federal authorities and Bayer immediately if you observe any adverse environmental effects due to the use of this product.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Follow container label instructions for disposal of wastes generated during use in compliance with the product label. In other situations, bury in an approved landfill or burn in an incinerator approved for pesticide destruction. Do not re-use empty containers. Packaging that cannot be cleaned should be disposed of as product waste.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:

Not regulated for Domestic Surface Transportation FREIGHT CLASSIFICATION:

Insecticides or Fungicides, N.O.I., other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1312 US Federal Regulations

TSCA list

None.
US. Toxic Substances Control Act (TSCA) Section
12(b) Export Notification (40 CFR 707, Subpt D)
None.

SARA Title III - Section 302 - Notification and Information

None

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None

Clean Water Section 307 Priority Pollutants

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16. OTHER INFORMATION

NFPA Health - 1

Flammability - 1

Reactivity - 1

Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard Reason to Revise: Update format; change MSDS Number.

Revision Date: 04/05/2005

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.